



KERERU/KUKUPA/KUKU/PAREA REFERENCES

Last updated 2008

- Allen, R.B. and Lee, W.G. 1992. Fruit selection by birds in relation to fruit abundance and appearance in the naturalised shrub *Berberis darwinii*. NZ J. Botany 30: 121-124.
- Anderson, S. H. 2003. The relative importance of birds and insects as pollinators of the New Zealand flora. New Zealand Journal of Ecology 27: 83-94
- Anderson, S. H.; Kelly, D.; Robertson, A. W.; Ladley, J.; Innes, J. 2006. Birds as pollinators and dispersers: a case study from New Zealand. Acta Zoologica Sinica 52: 112-115
- Annabell, A.R. 1949. Breeding of native pigeon. Notornis 3: 146.
- Atkinson, I.A.E.; Cameron, E.K. 1993. Human influence on the terrestrial biota and biotics communities of New Zealand. TREE 8 (12): 447-451.
- Atkinson, I.A.E. and Millener, P.R. 1991. An ornithological glimpse into New Zealand's pre-human past. Acta XX Congressus Internationalis Ornithologici 1: 129-192.
- Atkinson, R. 1993. Killing the kereru. Forest & Bird 267: 18-23.
- Baker, A. 1999. Food plants of bellbird (*Anthornis melanura*), tui (*Prosthemadera novaeseelandiae*) and New Zealand pigeon (*Hemiphaga novaeseelandiae*) in Dunedin. Notornis 46: 270-272.
- Barea, L.P.; Waas, J.R.; Thompson, K.; Hyde, N.H. 1999. Diet provided for chicks by New Zealand falcons (*Falco novaeseelandiae*) nesting in forested habitat. Notornis 46: 257-267.
- Barre, N.; De Garine Wichtitsky, M.; Lecoq, R.; Maillard, J-C. 2003. Contribution to the knowledge of the New Caledonian imperial pigeon *Ducula goliath* (Gray 1859) with emphasis on sexual dimorphism. Notornis 50: 155-160.
- Barrington, J. 1995. Pigeon patrol. Forest & Bird 278: 30-32.
- Bell, B.D. 1980. Relaying of New Zealand pigeon. Notornis 27: 97-98.
- Bell, R. 1996. Seed dispersal by kereru (*Hemiphaga novaeseelandiae*) at Wenderholm Regional Park. Unpubl. MSc thesis. University of Auckland, Auckland.
- Best, E. 1977. Forest lore of the Maori, with methods of snaring, trapping, and preserving birds and rats, uses of berries, roots, fern-root, and forest products, with mythological notes on origins, karakia used etc. Government Printer, Wellington.
- Bettesworth, D. 1981. Chatham Island pigeon and possum share food. Notornis 28: 33.
- Brown, K.; Innes, J.; Shorten, R. 1993. Evidence that possums prey on and scavenge birds' eggs, birds and mammals. Notornis 40: 169-177.
- Campbell, K. 2005. A study of home ranges, movements, diet and habitat use of kereru (*Hemiphaga novaeseelandiae*) in Hinewai Reserve, a large regenerating native forest, Banks Peninsula, New Zealand. Unpubl. MSc thesis, Lincoln University, Christchurch.
- Chambers, G.K. and Coddington, S.J. 1997. Molecular genetic analysis of New Zealand pigeons: differentiation of subspecies including kereru (*Hemiphaga novaeseelandiae*)

- novaeseelandiae*) and *parea* (*H. n. chathamensis*). Unpubl. report to NZ Department of Conservation. Institute of Molecular Systematics, Victoria University, Wellington.
- Clarkson, B.D.; Wehi, P.M.; Brabyn, L.K. 2007. A spatial analysis of indigenous cover patterns and implications for ecological restoration in urban centres, New Zealand. *Urban Ecosystems* 10: 441-457.
- Clout, M.N. 1980. Comparison of bird populations in exotic plantations and native forest. *NZ J. Ecology* 3: 159-160.
- Clout, M.N. 1988. Kereru hunting. *Forest & Bird* 19: 9.
- Clout, M.N. 1990. The kereru and its forests. *Birds International* 2(4): 10-19.
- Clout, M.N., Denyer, K., James, R.E. and McFadden, I.G. 1995. Breeding success of New Zealand pigeons (*Hemiphaga novaeseelandiae*) in relation to control of introduced mammals. *NZ J. Ecol.* 19: 209-212.
- Clout, M.N. and Gaze, P.D. 1984. Effects of plantation forestry on birds in New Zealand. *J. Appl. Ecol.* 21: 795-815.
- Clout, M.N., Gaze, P.D., and Hay, J.R. 1988. Clutch overlap by a New Zealand pigeon. *Notornis* 35: 59-62.
- Clout, M.N., Gaze, P.D., Hay, J.R., and Karl, B.J. 1986. Habitat use and spring movements of New Zealand pigeons at Lake Rotoroa, Nelson Lakes National Park. *Notornis* 33: 37-44.
- Clout, M.N., Hay, J.R. 1989. The importance of birds as browsers, pollinators and seed dispersers in New Zealand forests. *New Zealand Journal of Ecology* 12 (Supplement): 27-33.
- Clout, M.N., Karl, B.J., and Gaze, P.D. 1991. Seasonal movements of New Zealand pigeons from a lowland forest reserve. *Notornis* 38: 37-47.
- Clout, M.N., Karl, B.J., Gaze, P.D. and Hay, J.R. 1988. The ecology of New Zealand pigeons. Unpubl. report, Ecology Division, DSIR.
- Clout, M.N., Karl, B.J., Pierce, R.J. and Robertson, H.A. 1995. Breeding and survival of New Zealand Pigeons (*Hemiphaga novaeseelandiae*). *Ibis* 137: 264-271.
- Clout, M.N., and Robertson, H.A. 1991. Chatham Island pigeon recovery prospects: report on a visit to Chatham Island in July 1990. Science and Research Internal Report No. 95. Department of Conservation, Wellington.
- Clout, M.N. and Tilley, J.A.V. 1992. Germination of miro *Prumnopitys ferruginea* seeds after consumption by New Zealand pigeons *Hemiphaga novaeseelandiae*. *NZ J. Bot.* 30: 25-28.
- Coad, N.J. 2001. Trounson Kauri Park annual report 1999-2000. Unpubl. report, Northland Conservancy, Department of Conservation, Whangarei.
- Dawson, D.G., Dilks, P.J., Gaze, P.D., McBurney, J.G.R. and Wilson, P.R. 1978. Seasonal differences in bird counts in forests near Reefton, South Island, New Zealand. *Notornis* 25: 257-278.
- Department of Conservation. 1996. Kereru. Department of Conservation Fact Sheet. DoC, Wellington.
- Department of Conservation. 1997. Kukupa, native wood pigeon, survival guide. Northland Conservancy, Department of Conservation.
- Department of Conservation. 2002. Kukupa, native wood pigeon, survival guide. Northland Conservancy, Department of Conservation.
- Devonshire, C.W. 1980. The feeding of captive New Zealand pigeons. *Notornis* 27: 399-400.

- Dijkgraaf, A.C. 2002. Phenology and frugivory of large-fruited species in northern New Zealand and impacts of introduced mammals. Unpubl. PhD thesis, School of Biological Sciences, University of Auckland.
- Donald, P.F. 2007. Adult sex ratios in wild bird populations. *Ibis* 149: 671-692.
- Dunn, P.L. 1981. The feeding ecology of the New Zealand pigeon (*Hemiphaga novaeseelandiae*). Unpubl. MSc thesis. University of Otago, Dunedin.
- Dunn, P.; Morris, R.B. 1985. New Zealand pigeon. Pp 238-239 *In*: Robertson, C.J.R. (Ed.), Reader's Digest complete book of New Zealand birds. Reader's Digest Services Pty Ltd, Sydney.
- Empson, R.A., Miskelly, C.M. 1999. The risks, costs and benefits of using brodifacoum to eradicate rats from Kapiti Island, New Zealand. *New Zealand Journal of Ecology* 23: 241-254.
- Fleming, C.A. 1982. New Zealand pigeon (kereru) and Chatham Island pigeon (kuku). Pages 290-293 *in* George Edward Lodge, the unpublished New Zealand bird paintings. Nova Pacifica, Wellington.
- Flux, I.A., Powlesland, R.G., Dilks, P.J., Grant, A.D. 2001. Breeding, survival and recruitment of Chatham Island pigeon (*Hemiphaga chathamensis*). *Notornis* 48: 197-206.
- Flux, J.E.C. 1990. Impact impression of New Zealand pigeon on window. *Notornis* 37: 120.
- Franklin, D.C.; Wilson, K-J. 2003. Are low reproductive rates characteristic of New Zealand's native terrestrial birds? Evidence from the allometry of nesting parameters in altricial species. *NZ J Ecology* 30: 185-204.
- Genet, R., Guest, R. 1976. Winter nesting of New Zealand pigeon. *Notornis* 23: 319.
- Gibb, J.A. 1970. A pigeon's choice of plums. *Notornis* 17: 239.
- Gibb, J.A. 2000. Activity of birds in the western Hutt hills, New Zealand. *Notornis* 47: 13-35.
- Gibb, J.A. and Flux, J.E.C. 1994. Rain-bathing by pigeons. *Notornis* 41: 146-147.
- Gibbs, D.; Barnes, E.; Cox, J. 2001. Pigeons and doves, a guide to the pigeons and doves of the world. Pica Press, Sussex, UK.
- Gill, B.J. 2006. Post-mortem examination of New Zealand pigeons (*Hemiphaga novaeseelandiae*) from the Auckland area. *New Zealand Journal of Zoology* 33: 31-37.
- Goodwin, D. 1967. Pigeons and Doves of the World. Trustees of the British Museum (Natural History) London, London.
- Grant, A. 1990. Chatham Island pigeon: recovery plan 1990-1996 (Draft 1). Unpubl. report. Department of Conservation, Christchurch.
- Grant, A.D., Powlesland, R.G., Dilks, P.J., Flux, I.A. and Tisdall, C.J. 1997. Mortality, distribution, numbers and conservation of the Chatham Island pigeon (*Hemiphaga novaeseelandiae chathamensis*). *Notornis* 44: 65-77.
- Greene, T. 2003. Distance sampling populations of New Zealand birds – estimating kaka and kereru abundance. DOC Science Poster no. 64, Department of Conservation, Wellington.
- Guthrie-Smith, H. 1927. *Birds of the water, wood and waste*. Whitcombe & Tombs Ltd, Wellington.
- Hadden, D. 1993. New Zealand pigeon - courtship to laying. *OSNZ News* 66:1-2.
- Harper, G.A. 2003. New Zealand pigeon (kereru: *Hemiphaga novaeseelandiae*) crossing Foveaux Strait. *Notornis* 50: 174-175.

- Harwood, H. 2002. Seasonal availability and abundance of tree fruit species utilised by urban kukupa. Unpubl. MSc thesis. School of Environmental & Marine Sciences, Auckland University, Auckland.
- Hawke, D.J.; Holdaway, R.N. 2005. Avian assimilation and dispersal of carbon and nitrogen brought ashore by breeding Westland petrels (*Procellaria westlandica*): a stable isotope study. *Journal of Zoology*, London 266:419-426.
- Heather, B.D. and Robertson, H.A. 2005. New Zealand pigeon (kereru, kukupa, parea). Pages 134-135, 348-350 in *The Field Guide to the Birds of New Zealand*. Viking (Penguin Books (NZ) Ltd), Auckland. (Quick précis of kereru ecology)
- Henderson, K. 1991. Investigation into the composition of the crop milk of the New Zealand pigeon (*Hemiphaga novaeseelandiae*). Unpubl. report. Food Technology Department, Massey University, Palmerston North.
- Higgins, P.J. and Davies, S.J.J.F. 1996. New Zealand pigeon. Pp. 1016-1025 in *Handbook of Australian, New Zealand and Antarctic Birds*. Vol. 3, Snipe to Pigeons. Oxford University Press, Melbourne. (Long précis of kereru ecology and more)
- Hill, M. T. 2003. Diet, dispersal and distribution of kereru (*Hemiphaga novaeseelandiae novaeseelandiae*) in a lowland podocarp-hardwood forest. Unpubl. MSc thesis, Massey University, Palmerston North.
- Hitchmough, R.; Bull, L.; Cromarty, P. 2007. New Zealand threat classification system lists, 2005. Department of Conservation, Wellington.
- Holdaway, R.N., Worthy, T.H. & Tennyson, A.J.D. 2001. A working list of breeding bird species of the New Zealand region at first human contact. *New Zealand Journal of Zoology* 28: 119-187.
- Innes, J.; Nugent, G.; Prime, K.; Spurr, E.B. 2004. Responses of kukupa (*Hemiphaga novaeseelandiae*) and other birds to mammal pest control at Motatau, Northland. *New Zealand Journal of Ecology* 28: 73-81.
- IUCN. 2006. 2006 IUCN Red List of Threatened Species. Gland, Switzerland, IUCN.
- James, K.A.C.; Moore, P.J.; Mills, J.A.; Koolaard, J.P.; Lavers, R.B.; Butts, C.A.; Treloar, B.P.; Grace, N.D.; Bang, L.M. 2004. The nutritional value of cocksfoot (*Dactylis glomerata* L.), midribbed snow-tussock (*Chionochloa pallens* Zotov), and red tussock (*Chionochloa rubra* Zotov) for the takahe (*Porphyrio hochstetteri* Meyer). *Journal of the Royal Society of New Zealand* 34: 333-345.
- James, R.E. 1995. Breeding ecology of the New Zealand pigeon at Wenderholm Regional Park. Unpubl. MSc thesis. University of Auckland, Auckland.
- James, R.E. and Clout, M.N. 1996. Nesting success of New Zealand pigeons (*Hemiphaga novaeseelandiae*) in response to a rat (*Rattus rattus*) poisoning programme at Wenderholm Regional Park. *New Zealand Journal of Ecology* 20: 45-51.
- Jenkins, J.A.F. and Sibson, R.B. 1975. A pigeon among the shags. *Notornis* 22: 76-77.
- Johnston, S. 2001. *Prumnopitys ferruginea* (miro) seedling recruitment patterns in the Catlins, New Zealand and dispersal by *Hemiphaga novaeseelandiae* (New Zealand pigeon). Unpubl. MSc thesis, Department of Botany, University of Otago, Dunedin.
- Jones, G. 2000 Five-minute bird count surveys. Pp. 66-72 in: Beaven, B.; Burns, B.; Harrison, A.; Shaw, P. (Eds), Northern Te Urewera ecosystem restoration project annual report, July 1998 – June 1999. Hawkes Bay Conservancy, Department of Conservation, Gisborne.

- Karan, A. 1999. Diet of kereru in an urban area: implications for weed dispersal. Unpubl. MSc thesis. University of Auckland, Auckland
- Karl, B.J. and Clout, M.N. 1987. An improved radio transmitter harness with a weak link to prevent snagging. *Journal of Field Ornithology* 58: 73-77.
- Keedwell, R.J. 1995. A preliminary population viability analysis of kereru (*Hemiphaga novaeseelandiae*) populations and implications for customary use. University of Otago Wildlife Management Report No. 74. Zoology Department, University of Otago, Dunedin.
- Keene, H. and Jeffs, A. 1994. To kill or not to kill - that is the question; New Zealand native pigeon lives lonely life. *Kia Hiwa Ra* 22:12, 14.
- Kelly, D. 1994. The evolutionary ecology of mast seeding. *Trends in Ecology and Evolution* 9: 465-470.
- Kelly, D.; Brindle, C.; Ladley, J.J.; Robertson, A.W.; Maddigan, F.W.; Butler, J.; Ward-Smith, T.; Murphy, D.J.; Sessions, L.A. 2005. Can stoat (*Mustela erminea*) trapping increase bellbird (*Anthornis melanura*) populations and benefit mistletoe (*Peraxilla tetrapetala*) pollination? *New Zealand Journal of Ecology* 29: 69-82.
- Kelly, D.; Robertson, A.; Ladley, J.; Anderson, S.; McKenzie, R. 2003. Is interdependence of native fauna and flora an issue for future survival of native plants? *Canterbury Botanical Society* 37: 88-98.
- Kelly, D.; Robertson, A.W.; Ladley, J.J.; Anderson, S.H.; McKenzie, R.J. 2006. Relative (Un)Importance of introduced animals as pollinators and dispersers of native plants. Pp 227-245 in *Biological Invasions in New Zealand*. Allen, R.B.; Lee, W.G. (Eds). Ecological Studies vol 186. Springer-Verlag Berlin Heidelberg.
- King, M. 1994. Should the harvest go on hold? *Mana* 5: 26-33.
- Knight, W. 1951. Pigeon eating willow leaves. *Notornis* 4: 84.
- Ladley, J.J.; Kelly, D. 1996. Dispersal, germination and survival of New Zealand mistletoes (Loranthaceae): dependence on birds. *New Zealand Journal of Ecology* 20: 69-79.
- Langham, N.D. 1991. The ecology of the kereru or New Zealand pigeon (*Hemiphaga novaeseelandiae*). DSIR Land Resources Contract Report No. 91/45. DSIR Land Resources, Havelock North.
- Lee, W.G., Clout, M.N., Robertson, H.A. and Bastow Wilson, J. 1991. Avian dispersers and fleshy fruits in New Zealand. *Proc. Int. Orn. Congr.* XX: 1624-1629.
- Lyver, P.O'B.; Taputu, Te M.; Kutia, S.T.; Tahi, B. 2008. Tuhoe Tuawhenua matauranga of kereru (*Hemiphaga novaeseelandiae novaeseelandiae*) in Te Urewera. *New Zealand Journal of Ecology* 32: 7-17.
- Male, T.D.; Roberts, G.E. 2002. Defense of fruiting trees by birds in an Australian forest. *Biotropica* 34: 172-176.
- Mander, C., Hay, R. and Powlesland, R. 1998. Monitoring and management of kereru (*Hemiphaga novaeseelandiae*). Department of Conservation Technical Series No. 15. Department of Conservation, Wellington (Precis of kereru ecology and management)
- McDonald, N. 1953. Privet berries as bird food. *Notornis* 5: 195.
- McEwen, W.M. 1978. The food of the New Zealand pigeon (*Hemiphaga novaeseelandiae novaeseelandiae*). *New Zealand Journal of Ecology* 1:99-108.
- McNab, B.K. 2000. The influence of body mass, climate and distribution on the energetics of South Pacific pigeons. *Comp. Biochem. Physiol.* 127: 309-329.

- Meadowcroft, J. 1993. Kereru nursery. *New Zealand Gardener* 49: 36-40.
- Medway, D. 2003. Himalayan dogwoods as a food source for birds. *Miranda Naturalists' Trust News* 50: 18.
- Medway, D. 2004. Holly berries as food for birds. *Miranda Naturalists' Trust News* 54: 17.
- Medway, D. 2005. An urban New Zealand pigeon nest. *Miranda Naturalists' Trust News* 56: 11.
- Medway, D. 2006. Breeding of New Zealand pigeons in an urban park. *Miranda Naturalists' Trust News* 62: 17.
- Medway, D.G. 2006. *The birds of Pukeiti*. Zenith Publishing, New Plymouth.
- Medway, D. 2007. An urban New Zealand pigeon nest – the sequel. *Miranda Naturalists' Trust News* 66: 9.
- Medway, D. 2007. Rapid depletion of totara fruits by tui. *Miranda Naturalists' Trust News* 67: 16.
- Meehan, H. In prep. Pigeons and rainforest trees in Tonga: their interdependence in shrinking forest remnants. Unpubl. MSc., University of Victoria, Wellington.
- Meehan, H.J.; Hillyard, K.; Guy, M. 2003. Retention time of beads in captive Torres imperial pigeons, *Ducula spilorrhoa spilorrhoa*. *Notornis* 50: 167-168.
- Millener, P.R.; Powlesland, R.G. 2001. The Chatham Islands pigeon (parea) deserves full species status; *Hemiphaga chathamensis* (Rothschild, 1891); Aves: Columbidae. *J. Roy. Soc. NZ* 31: 365-383.
- Moon, G.J.H. 1967. New Zealand pigeon *Hemiphaga novaeseelandiae novaeseelandiae*. *Refocus on New Zealand birds*, p 87-89. A.H. & A.W. Reed, Wellington.
- Moon, G. 2003. New Zealand pigeon feeding habits. *Southern Bird* 14: 9.
- Moore, P.D. 2001. The guts of seed dispersal. *Nature* 414: 406 – 407.
- Morgan, D.; Waas, J.R.; Innes, J. 2006. The relative importance of Australian magpies (*Gymnorhina tibicen*) as nest predators of rural birds in New Zealand. *New Zealand Journal of Zoology* 33: 17-29.
- Morris, R. 1979. The Chatham Island pigeon. *Forest & Bird* 13: 28-30.
- Morris, R. 1979. Observations on the Chatham Island pigeon in Cascades Gorge. *Notornis* 26: 390-392.
- Morrison, P. 1959. Nesting of New Zealand pigeon. *Notornis* 8: 87-88.
- O'Donnell, C.F.J. 1996. Predators and the decline of New Zealand forest birds: an introduction to the hole-nesting bird and predator programme. *New Zealand Journal of Zoology* 23: 213-219.
- O'Donnell, C.F.J., Dilks, P.J. 1994. Foods and foraging of forest birds in temperate rainforest, south Westland, New Zealand. *New Zealand Journal of Ecology* 18: 87-107.
- Oliver, W.R.B. 1955. New Zealand pigeon (kereru) and Chatham Island pigeon (kuku). Pages 440-444 *in* *New Zealand birds*, 2nd edition. A.H. & A.W. Reed, Wellington.
- Orbell, M. 2003. *Birds of Aotearoa. A natural and cultural history*. Reed, Auckland.
- Parkin, C.H. 1947. Pigeon's death on Little Barrier Island. *Notornis* 2: 133.
- Pearson, P.E., and Climo, G.C. 1991. Chatham Island pigeon: census counts and habitat use, October-November 1990. Science and Research Internal Report No. 106. Department of Conservation, Wellington.
- Pearson, P.E. and Climo, G.C. 1993. Habitat use by Chatham Island Pigeons. *Notornis* 40:45-54.

- Pierce, R. 1993. Ecology of the kukupa in Taitokerau: problems and some solutions. *Ecological Management* 1: 44-48.
- Pierce, R.J.; Atkinson, R.; Smith, E. 1993. Changes in bird numbers in six Northland forests 1979-1993. *Notornis* 40: 285-293.
- Pierce, R.J. and Graham, P.J. 1995. Ecology and breeding biology of kukupa (*Hemiphaga novaeseelandiae*) in Northland. Science & Research Series No. 91. Department of Conservation, Wellington.
- Powlesland, R.G., Dilks, P.J., Flux, I.A., Grant, A.D. and Tisdall, C.J. 1997. Impact of food abundance, diet and food quality on the breeding of the fruit pigeon, Parea *Hemiphaga novaeseelandiae chathamensis*, on Chatham Island, New Zealand. *Ibis* 139: 353-365.
- Powlesland, R., Grant, A., Tisdall, C., Dilks, P. and Flux, I. 1992. Ecology and breeding biology of parea (Chatham Island pigeon) on southern Chatham Island, July 1991-April 1992. Science and Research Internal Report No. 134. Department of Conservation, Wellington.
- Powlesland, R., Grant, A., Flux, I. and Dilks, P. 1994. Some aspects of the ecology and breeding biology of parea on southern Chatham Island, July 1992-April 1993. Science and Research Series No. 66. Department of Conservation, Wellington.
- Powlesland, R., Grant, G., Dilks, P., Flux, I. and Bell, M. 1995. Some aspects of the ecology and breeding biology of parea on southern Chatham Island, July 1993-April 1994. Science & Research Series No. 82. Department of Conservation, Wellington.
- Powlesland, R.G.; Wills, D.E.; August, A.C.L.; August, C.K. 2003. Effects of a 1080 operation on kaka and kereru survival and nesting success, Whirinaki Forest Park. *NZ J of Ecology* 27: 125-137.
- Powlesland, R.G. and Willans, M. 1997. "Hard release" of captive-reared New Zealand pigeons (*Hemiphaga n. novaeseelandiae*). *Notornis* 44: 57-59.
- Powlesland, R.; Moran, L.; Moran, K.; Pullen, K.; Joice, N.; Henderson, J.; Kivi, S. 2008. Aspects of kereru ecology in and about New Plymouth. *Notornis* in press.
- Prendergast, S.T. 2006. The impact of predation on the kereru (*Hemiphaga novaeseelandiae*) on Banks Peninsula. Unpubl. MSc thesis, Lincoln University, Christchurch.
- Prendergast, T.S.; Ogilvie, C.C.; Wilson, K. 2006. The impact of predation on the threatened endemic kereru (*Hemiphaga novaeseelandiae*) by mammalian predators on Banks Peninsula, New Zealand. Pp. 282-286 in *Proc. 22nd Vertebr. Pest Conf.* (Eds Timm, R.M. & O'Brien, J.M.).
- Ridley, A.R. 1998. The feeding ecology and habitat use of kereru and bellbird in a modified forest remnant, South Canterbury, New Zealand. Unpubl. BSc Hons dissertation, Lincoln University.
- Robertson, C.J.R.; Hyvonen, P.; Fraser, M.J.; Pickard, C.R. 2007. Atlas of bird distribution in New Zealand, 1999-2004. Ornithological Society of New Zealand Inc., Wellington.
- Robertson, H.A.; Whitaker, A.H.; Fitzgerald, B.M. 1983. Morphometrics of forest birds in the Orongorongo Valley, Wellington, New Zealand. *New Zealand Journal of Zoology* 10: 87-98.
- Rothschild, W. 1891. Description of a new pigeon of the genus *Carpophaga*. *Proc. Zool. Soc. Lond.* 312-313.

- Sadler, N. 2004. Winter feeding activity and behavioural observation of kereru in urban Southland. Unpubl. study, Southern Institute of Technology.
- Schotborgh, H.M. 2005. An analysis of home ranges, movements, foods and breeding of kereru (*Hemiphaga novaeseelandiae*) in a rural-urban landscape on Banks Peninsula, New Zealand. Unpubl. M.Sc. thesis, Lincoln University, Christchurch.
- Secker, H.L. 1956. Note on historical status of weka, red-fronted parakeet and bush pigeon in Wellington peninsula. *Notornis* 6: 248.
- Sekercioglu, C.H. 2006. Increasing awareness of avian ecological function. *Trends in Ecology & Evolution* 21: 464-471.
- Sekercioglu, C.H.; Daily, G.C.; Ehrlich, P.R. 2004. Ecosystem consequences of bird declines. *PNAS* 101:18042-18047.
- Simons, G. 2006. Pet appraisal: native wood pigeon – kereru. *New Zealand Lifestyle Farmer* November 2006: 46-47.
- Simpson, M.J.A. 1971. Travelling seeds. *Wellington Botanical Society bulletin* 37: 63-64.
- Stephenson, G. 1994. Kereru protection: control of predators and the benefits. *New Zealand Tree Grower* 15: 24-25.
- Stevens, H. 2006. Native birds in forest remnants. Unpubl. PhD thesis, University of Auckland, Auckland.
- Stowers, R. 1996. A history of the forest rangers during the New Zealand wars. R. Stowers, Hamilton. (snares at water troughs)
- St Paul, R. 1975. A bushman's seventeen years of noting birds. Part E - New Zealand pigeon, North Island kaka, yellow-crowned parakeet and kingfisher. *Notornis* 24: 20-30.
- Taylor, J.R. 1996. The impact of human settlement on the kukupa (*Hemiphaga novaeseelandiae*). Unpubl. MSc thesis. University of Auckland, Auckland.
- Taylor, M.M. 1950. Wood pigeons eating shoots and leaves. *Notornis* 4: 33.
- Thorsen, M.; Blanvillian, C.; Sulpice, R. 2002. Reasons for decline, conservation needs, and a translocation of the critically endangered upe (Marquesas imperial pigeon, *Ducula galeata*), French Polynesia. DOC Science Internal Series No. 88. Department of Conservation, Wellington.
- Thorsen, M.; Innes, J.; Nugent, G.; Prime, K. 2004. Parental care and growth rates of New Zealand pigeon (*Hemiphaga novaeseelandiae*) nestlings. *Notornis* 51: 136-140.
- Tisdall, C. 1992. Feeding ecology of parea (*Hemiphaga novaeseelandiae chathamensis*) and impacts of possums (*Trichosurus vulpecula*) on parea food plants. MSc thesis, University of Otago, Dunedin.
- Travers, H.H. and Travers, W.T.L. 1872. On the birds of the Chatham Islands. *Trans. Proc. NZ Inst.* 5: 212-222.
- Trevelyn, R., Read, A.F. 1989. Nest predators and the evolution of avian reproductive strategies: a comparison of Australian and New Zealand birds. *Oecologia* 81: 274-278.
- Trewick, S.A.; Paterson, A.M.; Campbell, H.J. 2007. Hello New Zealand. *Journal of Biogeography* 34: 1-6.
- Tunncliffe, G.A. 1980. Native pigeons breeding in Christchurch. *OSNZ News* 15: 3.
- Turbott, E.G. 1967. New Zealand pigeon. Pages 120-124 in *Buller's Birds of New Zealand*. Whitcombe & Tombs Ltd, Christchurch.
- Turbott, E.G. (Conv.) 1990. Checklist of the birds of New Zealand and the Ross Dependency, Antarctica. Third Edition. Random Century, Auckland.

- Veltman, C. 2000. Do native wildlife benefit from possum control? Pp. 241-250 in Morgan, T.L. (Ed.), *The brushtail possum; biology, impact and management of an introduced marsupial*. Manaaki Whenua Press, Lincoln.
- Walker, J.S. 2007. Geographical patterns of threat among pigeons and doves (Columbidae). *Oryx* 41: 289-299.
- Wilkinson, A.S.; Wilkinson, A. 1952. *Kapiti bird sanctuary: a natural history of the island*. Masterton Printing Co., Masterton.
- Wilson, P.R.; Taylor, R.H.; Thomas, B.W. 1988. Effect of topography on seasonal distribution of forest birds in the Ohikanui, Lower Buller and Inangahua Valleys, North Westland. *Notornis* 35: 217-243.
- Worthy, T.H.; Brassey, R. 2000. New Zealand pigeon (*Hemiphaga novaeseelandiae*) on Raoul Island, Kermadec Group. *Notornis* 47: 36-38.
- Worthy, T.H.; Holdaway, R.N. 2002. *Lost world of the moa: prehistoric life of New Zealand*. Canterbury University Press, Christchurch.
- Wotton, D.M.; Clout, M.N.; Kelly, D. 2008. Seed retention times in the New Zealand pigeon, *Hemiphaga novaeseelandiae*. *New Zealand Journal of Ecology* 32:1-6.