



Planting for kererū

More information on each species can be found at the New Zealand Plant Conservation Network website (nzpcn.org.nz)

F=fruit and/or seeds Fl=flowers L=leaves and/or buds

Scientific Name	Common Name	Food
<i>Alectryon excelsus</i>	Titoki	F
<i>Aristotelia serrata</i>	Wineberry, Makomako	F/L
<i>Astelia banksii</i>	Coastal astelia,	F
<i>Astelia nervosa</i>	Astelia	F
<i>Beilschmiedia tarairi</i>	Taraire	F
<i>Beilschmiedia tawa</i>	Tawa	F
<i>Carpodetus serratus</i>	Putaputaweta	F/L
<i>Clematis paniculata</i>	New Zealand. clematis	L
<i>Coprosma grandifolia</i>		F
<i>Coprosma propinqua</i>		L
<i>Coprosma repens</i>	Mirror bush, looking-glass plant	F
<i>Coprosma rhamnoides</i>	Twiggy coprosma	F
<i>Coprosma robusta</i>		F

<i>Coprosma rotundifolia</i>	Round-leaved coprosma	L
<i>Cordyline australis</i>	Cabbage tree, Ti kouka	F
<i>Dacrycarpus dacrydioides</i>	White pine, kahikatea	F
<i>Dacrydium cupressinum</i>	Rimu	F/L
<i>Dysoxylum spectabile</i>	Kohekohe	F
<i>Elaeocarpus dentatus</i>	Hinau	F
<i>Fuchsia excorticata</i>	New Zealand tree fuchsia, Kotukutuku	Fl/L/F
<i>Geniostoma ligustrifolium</i>	Hangehange	F
<i>Griselinia littoralis</i>	Broadleaf, Kapuka	F/L
<i>Hedycarya arborea</i>	Pigeonwood	F
<i>Hoheria sexstylosa</i>	Lacebark, Houhere	L
<i>Hoheria populnea</i>	Lacebark, Houhere	L
<i>Knightsia excelsa</i>	Rewarewa	Fl/buds
<i>Leptospermum scoparium</i>	Manuka , Tea tree	L
<i>Libocedrus plumosa</i>	New Zealand cedar, Kaikawaka	F
<i>Lophomyrtus bullata</i>	Ramarama	F
<i>Macropiper excelsum</i>	Kawakawa	F
<i>Melicytus ramiflorus</i>	Mahoe	F/Fl/L
<i>Muehlenbeckia australis</i>	Large-leaved muehlenbeckia	L
<i>Muehlenbeckia complexa</i>	Small-leaved/ scrambling pohuehue, wire vine	L

<i>Myoporum laetum</i>	Ngaio	F
<i>Myrsine australis</i>	Mapou	F
<i>Neomyrtus pendunculata</i>	Rohutu	F
<i>Nestegis cunninghamii</i>	Black maire	F
<i>Nestegis lanceolata</i>	White maire	F
<i>Nestegis montana</i>	Narrow-leaved maire	L
<i>Parsonsia capsularis</i>	New Zealand jasmine	L
<i>Parsonsia heterophylla</i>	Native jasmine	L
<i>Passiflora tetrandra</i>	New Zealand passionfruit	F
<i>Pennantia corymbosa</i>	Kaikomako	F/L
<i>Pittosporum eugenioides</i>	Lemonwood	F
<i>Plagianthus regius</i>	Ribbonwood	L/T
<i>Podocarpus totara</i>	Totara	F
<i>Prumnopitys ferruginea</i>	Miro	F/L
<i>Prumnopitys taxifolia</i>	Matai	F
<i>Pseudopanax arboreus</i>	Five-finger	F
<i>Pseudowintera axillaris</i>	Pepper tree	F
<i>Pseudowintera colorata</i>	Horopito peppertree	F
<i>Rhopalostylis sapida</i>		F
<i>Ripogonum scandens</i>	Supplejack	F
<i>Rubus australis</i>	Bush lawyer, swamp lawyer	F

<i>Rubus cissoides</i>	Bush lawyer	FL
<i>Schefflera digitata</i>	Seven-finger	F
<i>Solanum aviculare</i> & <i>S. laciniatum</i>	Poroporo	F
<i>Sophora microphylla</i>	Kowhai	Fl/L
<i>Sophora tetraptera</i>	Kowhai	Fl/L
<i>Streblus heterophyllus</i>	Small-leaved milktree	F
<i>Syzygium maire</i>	Swamp maire	F
<i>Vitex lucens</i>	Puriri	F
<i>Weinmannia racemosa</i>	Kamaha	F/Fl/L